



**TLILIC0005 Licence to operate a boom-type
elevating work platform (boom length 11
metres or more)**

STUDENT ACTIVITY BOOK

Student full name:	
Date:	

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more)

This unit specifies the skills and knowledge required to safely operate a boom-type Elevating Work Platform (EWP) where the length of the boom is 11 metres or more in accordance with all relevant legislative requirements. Competence in this unit, does not in itself result in a Risk Work Licence (HRWL) to operate this plant. Boom-type elevating work platform means a telescoping device, hinged device, or articulated device, or any combination of these, used to support a platform on which personnel, equipment and materials may be elevated. A person performing this work is required to hold a boom-type elevating work platform HRWL. This unit requires a person operating an EWP to:

- plan for the work/task
- prepare for the work/task
- perform work/task
- pack up

Licensing/Regulatory Information - Legislative and regulatory requirements are applicable to this unit of competency. This unit is based on the licensing requirements of Part 4.5 of the Model Work Health and Safety (WHS) Regulations and meets Commonwealth, State and Territory HRWL requirements. The National Assessment Instrument (NAI) is the mandated assessment for the HRWL to operate the relevant licencing class as detailed in this unit.

STUDENT ACTIVITY BOOK

STUDENT RECORD OF TRAINING - Student Details

Student full name:			
Trainer/Assessor			
Activity book	Satisfactory <input type="checkbox"/>	Not satisfactory <input type="checkbox"/>	
Trainer/Assessor name:			
Trainer/Assessor signature:		Date:	
TA comments			

STUDENT INSTRUCTIONS


1. The activity book is used as learning resource only and is not for assessment, it may be used in conjunction with the student guide and or PowerPoint
2. All questions should be attempted
3. Discussion with other students is permitted during activity book
4. Assistance from the Trainer/Assessor may be requested to clarify a question
5. More than one multiple choice answer may be correct
6. Return or hand the activity book to the Trainer/Assessor or the RTO once completed
7. You may choose to mark your own activity book during your RTO attendance if desired

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions

Short Questions

1. Name the parts of the EWP



2. How do you identify your task requirements?

.....

.....

.....

3. Who would you confirm task requirements with?

.....

.....

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>4. What are six operational considerations you should plan for before work and other than site hazards?</p> <p><i>Provide four (4) reference types</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>5. Where can you find workplace safety information?</p> <p><i>Provide four (4) reference types</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>6. What obligations do employers have to ensure the health and safety of all workers?</p> <p><i>Provide four examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>7. List three (3) actions you can take to ensure you meet Duty of Care requirements.</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>8. If a high-risk worker is not working safely under a high-risk work licence, what can the work health and safety regulator do?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>9. What must an employer provide before you can operate a new type of elevating work platform?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions																		
<p>10. If you need to work closer than the prescribed safe operating distances for power lines, what action would you take?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>11. If you want to know the voltage of powerlines that you are working near, who would you contact?</p> <p>.....</p> <p>.....</p> <p>.....</p>																		
<p>12. What are the minimum safe operating distances you must remain away from power lines for your state?</p> <table border="1" style="width: 100%; margin-top: 20px; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left; padding: 5px;">QLD</th> </tr> <tr> <td style="padding: 5px;">Up to 132KV</td> <td style="width: 50px;"></td> </tr> <tr> <td style="padding: 5px;">132kv to 330kv</td> <td></td> </tr> <tr> <td style="padding: 5px;">More than 330kv</td> <td></td> </tr> </table> <table border="1" style="width: 100%; margin-top: 20px; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: left; padding: 5px;">NT</th> </tr> <tr> <td style="padding: 5px;">50v to 1kV</td> <td style="width: 50px;"></td> </tr> <tr> <td style="padding: 5px;">1kV to 33kV</td> <td></td> </tr> <tr> <td style="padding: 5px;">33kV to 66kV</td> <td></td> </tr> <tr> <td style="padding: 5px;">66kV to 132kV</td> <td></td> </tr> </table>	QLD		Up to 132KV		132kv to 330kv		More than 330kv		NT		50v to 1kV		1kV to 33kV		33kV to 66kV		66kV to 132kV		<p>13. What types of signs, instructions, or indicators will make overhead power lines easy to identify?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>
QLD																			
Up to 132KV																			
132kv to 330kv																			
More than 330kv																			
NT																			
50v to 1kV																			
1kV to 33kV																			
33kV to 66kV																			
66kV to 132kV																			

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>14. What ground conditions must be checked to ensure the safe operation and stability of the work platform?</p> <p><i>Provide six (6) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>15. If the ground was unstable under one outrigger, what action would you take?</p> <p><i>You must circle <u>four</u> correct answers</i></p> <ul style="list-style-type: none"> a. Stop and lower the boom b. Pack and stabilise the out rigger c. Relocate d. Report e. Work carefully until the EWP can be relocated
<p>16. Why is it dangerous to set up an EWP next to a trench or recently backfilled ground?</p> <p>.....</p> <p>.....</p> <p>What distance can you set up any part of an EWP from an excavated trench?</p> <p>.....</p> <p>.....</p>	<p>17. What do you need to establish before setting up an EWP on a concrete slab, and how can you find this out?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>18. For what reason would you inspect trench covers and steel grates?</p> <p>.....</p> <p>.....</p>	

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions


Short Questions

19. Answer the following questions, you will need to consider the nominal reach and vertical distance of the platform for determining safe operating capability.

Nominal reach, measured horizontally from the centre point of slew ring to outer edge of the platform in its most extended position

The vertical distance from platform floor to surface supporting elevating work platform with a platform at its maximum height

<p>A) Can you access a bridge pile 14.5m high where the EWP must be positioned 4m from the centre of the slew ring to the bridge pile?</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>
<p>B) Can you access an external building wall 11m high where the EWP must be positioned 6.5m from the centre of the slew ring to the building external?</p>	<p>Yes</p> <input type="checkbox"/>	<p>No</p> <input type="checkbox"/>



TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions

Short Questions

20. Answer the following four (4) questions using the data plate provided.

Question 1 - What is the total weight of persons that can be carried with 30kg of equipment on board =








Question 2 – What is the maximum height you can elevate the platform?

Question 3 - What is the maximum degree of slope angle you can position the platform on when planning to operate in a raised position? **2°**

Question 4 – The forecast is for light winds, you take a measurement during your site risk assessment and prior to set up and record a wind measurement of 11.4m/s,

Do you proceed to set up and work? Please provide a brief reason of why or why not

.....

MODEL	700IEWP			MAX		MAX
SERIAL NO.	007			2°		2°
MAX PLAT HEIGHT	25.5m	GRADE ABILITY	40%	G.V.W.	17141kg	THIS ELEVATION WORK PLATFORM MEETS OR EXCEEDS THE APPLICABLE REQUIREMENTS OF AUSTRALIAN STANDARD AS1418 PART 10 AS ORIGINALLY MANUFACTURED FOR THE INTENDED APPLICATIONS AND USE. OPTIONAL EQUIPMENT AS FITTED TO THIS MACHINE MEETS OR EXCEEDS THE APPLICABLE AUSTRALIAN STANDARD. COMPONENTS OF THIS MACHINE ARE MANUFACTURED FROM VARIOUS GRADES OF MILD AND HIGH STRENGTH STEELS. OPERATION, INSPECTIONS, MAINTENANCE, MODIFICATIONS OR REPAIRS SHALL BE CARRIED OUT IN ACCORDANCE WITH AS2550.10 AND THE MACHINE MANUALS.
	MAX WIND SPEED	RATED MAX. LOAD (SWL)	MAX NUMBER PERSONS	MAX. EQUIP	MAX. MANUAL SIDE FORCE	
MAX	10.0m/s	210kg	2	50kg	350N	
			=  +			
	YEAR OF MANUFACTURE				01.07	
	DATE OF COMMISSION				03.08	
SUBSEQUENT ANNUAL INSPECTIONS OR MAJOR REPAIRS:						

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>21. What is the purpose of ensuring that all signs, labels and load charts are displayed correctly and clearly?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>22. Why is it necessary to calculate the weight of your accumulated tools, persons, materials and equipment before loading and operating an EWP?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>23. How can you locate the rated capacity of the work platform?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>24. Where would you locate the maximum wind velocity for your EWP?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>25. You need to waterproof an external building wall and have been provided with an EWP-rated capacity of 195kg.</p> <ul style="list-style-type: none"> • A waterproofing bucket weighs 20kg holding 15 litres • Your weight is 85kg • The additional waterproofing equipment needed to be carried weighs 10kg <p>How many waterproofing buckets can you carry on to the platform at one time?</p> <p>.....</p> <p>.....</p>	<p>26. What weight must be calculated to ensure the rated capacity of the EWP is not exceeded?</p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>27. If you plan to use an EWP with a rated capacity of 200 kg and you weigh 85 kg, what is the maximum weight of tools and equipment you can safely take up with you?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>28. What hazards can affect operating the work platform in strong windy conditions?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>29. What are four (4) considerations made when planning the appropriate path of movement for the EWP and boom?</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>30. Why is it important to check your path of movement before commencing work platform operations?</p> <p><i>You must circle <u>three</u> correct answers</i></p> <ul style="list-style-type: none"> a. For fast and effective work b. So that we have identified all hazards c. So that we have applied appropriate controls measures d. It is safe to continue operations
<p>31. Briefly describe a potential crush or entrapment point and provide one example of how you can eliminate this hazard.</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>32. Define the following.</p> <p>A Hazard</p> <p>.....</p> <p>.....</p> <p>A Risk</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>33. List five (5) potential hazards you must consider in your work plan.</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>34. When would risk control measures be applied?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>35. List the hazard and the relevant control for a person inside the operating radius of the EWP.</p> <p>Hazard</p> <p>.....</p> <p>.....</p> <p>Control</p> <p>.....</p> <p>.....</p> <p>.....</p>	

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK


Short Questions

Short Questions

36. What are the missing controls from the hierarchy?

You must circle one correct answer

- a. Isolate, Hesitate, Personal protective equipment
- b. Eliminate, Isolate, and Personal protective equipment
- c. Hesitate, Eliminate, Personal protective equipment
- d. None of the above



37. What is required before operating a work platform in low light or dark environment?

.....

.....

.....

38. Which personnel would you consult with about workplace hazards prior to commencing work?

Provide four (4) examples

.....

.....

.....

.....

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>39. What will consulting with personnel about workplace hazards help you to do?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>40. What are the dangers of raising or lowering your boom over people?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>41. How can you control risks associated with operating an EWP over a body of water?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>42. What controls would you apply with the traffic management plan, to keep pedestrians safe in the work area?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>43. When would you identify and check communication methods and equipment are suitable for the task?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>44. What communication types are normally used between the platform operator and ground personnel?</p> <p><i>Provide three (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>45. Why would you confirm your work or task requirements with your supervisor? <i>Provide <u>one</u> example</i></p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>46. Why would you check with local authorities before setting up a work platform in a busy street? <i>Provide <u>three</u> (3) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>47. Why would you maintain communications with workplace personnel? <i>You must circle <u>three</u> correct answers</i></p> <ul style="list-style-type: none"> a. To ensure all personnel understand the workplan b. To ensure work will be done according to site requirements c. To ensure work will be done according to safe work procedures d. To maintain a friendly and conflict free workplace 	<p>48. What is the purpose of checking risk control measures before applying them? <i>You must circle <u>three</u> correct answers</i></p> <ul style="list-style-type: none"> a. To ensure they are not defective b. To identify hazards in the area c. To ensure they are still the most appropriate d. To ensure they will comply with workplace procedures
<p>49. When can an out of service, danger or safety tag be removed?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>50. What types of safety equipment will need to be checked according to manufacturer requirements? <i>Provide <u>three</u> examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>51. List three (3) defects on a lanyard.</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>52. Once you are in the basket, where must you attach your lanyard?</p> <p>.....</p> <p>.....</p>
<p>53. What safety equipment must be used when operating a work platform at heights?</p> <p>.....</p> <p>.....</p>	<p>54. When fitting your harness correctly, you should</p> <ol style="list-style-type: none"> 1. Put harness over your shoulders and adjust shoulder straps to remove slack 2. Insert legs and adjust straps allowing for your hand to only just slip between the thigh and strap 3. Connect the chest strap and adjust the strap to remove slack <p>a. True</p> <p>b. False</p>
<p>55. What procedures and protective equipment could be necessary when refuelling or recharging an EWP?</p> <p>You must circle <u>four</u> correct answers</p> <ol style="list-style-type: none"> a. Manufacturer's guidelines b. Operator manual c. Checklist d. Workplace procedure e. Gloves and safety glasses 	<p>56. What is the safest method for entering the platform basket?</p> <p>You must circle <u>one</u> correct answer</p> <ol style="list-style-type: none"> a. Use 3 points of contact at all times and access according to manufacturer requirements and safe work procedures b. Use one hand and one foot when accessing the work platform c. None of the above
<p>57. List four (4) visual checks for defects or damage you would carry out on the platform or boom.</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>58. What person is responsible for the EWP pre-start inspection, and why is it important to make these checks?</p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>59. List eight (8) pre-start checks you should carry out on the EWP before start-up.</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>60. What action is required, if abnormal noise is heard from the work platform?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>61. What procedures should be followed when starting up the EWP?</p> <p><i>You must circle <u>one</u> correct answer</i></p> <p>a. The manufacturer's start-up procedure</p> <p>b. SWMS</p> <p>c. SDS</p> <p>d. Site layout plan</p>	<p>62. What are four (4) considerations when setting up a work platform close to buildings?</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>63. What can you use to ensure an EWP is set up level?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>64. List two types of material used to distribute/stabilise the weight of an EWP with fitted outriggers.</p> <p>.....</p> <p>.....</p>
<p>65. If the EWP does not have outriggers/stabilisers, chock both sides of one pair of its wheels by firmly placing suitable obstructions against each wheel.</p> <p>a. True</p> <p>b. False</p>	<p>66. List four (4) operational checks you would make after start-up and prior to starting any work.</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>67. Why do you need to test the EWP to the full extent of operations prior to use?</p> <p>.....</p> <p>.....</p>	<p>68. Why are ground controls fitted to the EWP?</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>69. What checks should be made before raising the EWP platform?</p> <p><i>Provide four (4) examples</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>70. How many sets of controls are commonly found on an EWP and where are they located?</p> <p><i>You must circle <u>one</u> correct answer</i></p> <p>a. One. Ground and basket</p> <p>b. Two. Ground and basket</p> <p>c. Three. Ground and basket</p> <p>d. Four. Ground and basket</p>
<p>71. What is the function of the Dead man control?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>72. What operational checks should be done on platform controls?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>73. What action do you take if you find any defects or damage to the EWP during your inspections?</p> <p><i>You must circle <u>three</u> correct answers</i></p> <p>a. Continue using until repaired</p> <p>b. Tag out</p> <p>c. Report and Record</p> <p>d. Do not use</p>	<p>74. List three (3) reasons why you must check the EWP log book.</p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions

Short Questions

75. Identify the meaning of the following terminology in the table.

Explain what a wind load is.	
Explain what a live load is.	
Explain what a dead load is.	

76. What action do you take if wind speed exceeds the manufacturer's requirements while working?

.....

77. Why would you check hazard prevention control measures like lights and signs prior to set-up?

You must circle three correct answers

- a. To ensure signs have the correct communication and are legible
- b. To stop the uncontrolled operation of the machine
- c. Ensure lights are in a safe working condition
- d. To ensure controls are applied according to safe work procedures

78. When moving an EWP to a work area, what position should the basket and boom be in?

.....

79. What is the reason to constantly monitor the boom and platform movement?

.....

80. After moving the platform into position, what checks should be made to ensure the platform position is correct prior to levelling and packing?

You must circle three correct answers

- a. Safe working radius
- b. Position of EWP to works being conducted
- c. Adequate clearances from obstructions or hazards
- d. Dead man controls

81. What angle would you place the second layer of the pigsty, dunnage, or packing to the first layer?

.....


TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>82. What actions would you take, in the event the EWP is set up and one or more of the wheels or outriggers starts to sink?</p> <p>Number in the correct order 1-4</p> <p>(1 is your first response)</p> <p><input type="checkbox"/> Relocate the EWP to safer ground</p> <p><input type="checkbox"/> Stop operations</p> <p><input type="checkbox"/> Return the EWP to the ground</p> <p><input type="checkbox"/> Rectify the sinking if possible. If not possible, relocate the EWP to an area where stability can be obtained</p>	<p>83. What is the purpose of securing or stowing all tools and equipment on the platform?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>84. What factors can cause the instability of an EWP?</p> <p>You must circle <u>three</u> correct answers</p> <p>a. Poor load placement</p> <p>b. Overloading</p> <p>c. Underloading</p> <p>d. Irregular loads</p>	<p>85. What precautions should be taken when driving the EWP to the work area or around a work site?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>86. At what speed should you move an EWP with the platform in an elevated position?</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>87. What should be referred to before moving an EWP across a slope or a hill?</p> <p>.....</p> <p>.....</p> <p>.....</p>

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>88. Can an EWP be used as a crane for lifting anything outside of the basket?</p> <p>.....</p>	<p>89. Can slings or attachments be attached to the hand or guard rail of an EWP?</p> <p>.....</p>
<p>90. What would you do if you experience a failure of controls when working at maximum height?</p> <p><i>You must circle <u>one</u> correct answer</i></p> <ul style="list-style-type: none"> a. Finish the work task and tell your supervisor at the end of the shift b. Call the ground support use the emergency lowering device and tag out and report c. Climb from the EWP onto the closest nearby structure d. All the above 	
<p>91. What action would you take if your EWP comes into contact with overhead powerlines?</p> <p><i>Complete the STIIRR acronym</i></p> <p>S -</p> <p>T -</p> <p>I -</p> <p>I -</p> <p>R -</p> <p>R -</p>	

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>92. List four (4) things you would do in the event you feel the platform drop or move a little when you are working at heights.</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>93. What systems can be used to lower the platform from height in the event of a failure?</p> <p><i>Provide three (3) types of fail-safe devices</i></p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>94. What actions would you take in the event a pedestrian accesses an exclusion zone during operations?</p> <p><i>Provide four (4) actions</i></p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>	<p>95. What would you do in the event you fail to understand a radio communication or hand signal from the ground?</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>96. Identify the meaning of the hand signal below.</p> <div style="text-align: center; margin: 10px 0;">  </div> <p>.....</p>	<p>97. Can you enter or exit the platform to a fixed structure while in an elevated position?</p> <p><i>You must circle <u>three</u> correct answers</i></p> <ul style="list-style-type: none"> a. No, an EWP is specifically designed to lift people to a position where they can work from the basket b. No, an EWP is not designed to transfer people from one level to another or to exit a platform at a height c. Yes, you can enter or exit the platform while in an elevated position d. Yes, only where an exception is granted by an employer and where a thorough risk assessment has taken place. It must be demonstrated as the safest way of accessing a particular location, it may be part of a formal emergency rescue plan

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions	Short Questions
<p>98. How would you park up the EWP before leaving the work area for 40 min?</p> <p>You must circle <u>four</u> correct answers</p> <ul style="list-style-type: none"> a. Park in a safe position or approved work area b. Lower the platform fully & engage motion locks and brakes c. Switch off and isolate d. Follow manufacturer requirements e. Park in safe area with platform raised 	<p>99. What post-operational checks would you carry out as part of shut-down at the end of a shift?</p> <p>Provide seven (7) examples</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p> <p>.....</p>
<p>100. How do you correctly retract, lower, stow and secure the EWP boom?</p> <p>You must circle <u>one</u> correct answer</p> <ul style="list-style-type: none"> a. According to manufacturer requirements and safe work procedures b. By referring to safety data sheets c. By referring to the environmental management plan d. None of the above 	<p>101. When is it safe to remove your safety harness?</p> <p>You must circle <u>one</u> correct answer</p> <ul style="list-style-type: none"> a. When you are not able to reach the work area from the basket b. After you have commenced lowering the platform c. Only once the basket has been fully lowered and you are ready to exit the basket d. None of the above
<p>102. At what time would motion locks and brakes be applied?</p> <p>You must circle <u>one</u> correct answer</p> <ul style="list-style-type: none"> a. When your speed is higher than the site speed limit allows b. Shut down of EWP c. To slow down before a corner d. None of the above 	<p>103. What should be done with plates and packing once you have finished using the EWP?</p> <p>You must circle <u>two</u> correct answers</p> <ul style="list-style-type: none"> a. They should be placed on the carrier or in a designated storage area for future access. b. Make sure they are clean c. Disposed of according to site requirements d. None of the above

TLILIC0005 Licence to operate a boom-type elevating work platform (boom length 11 metres or more) – ACTIVITY BOOK

Short Questions

Short Questions

104. How can you lock retracted outriggers in place?

You must circle one correct answer

- a. Using the correct locking pins
- b. Using the appropriate sized padlocks
- c. Keys provided by the manufacturer
- d. None of the above

105. What procedures and or requirements would you not follow to shut down a work platform?

You must circle one correct answer

- a. Site procedures
- b. Manufacturer requirements
- c. Safe work procedures
- d. Relevant shutdown checks, logbook, recording and reporting
- e. Environmental management procedures